

CLASS

MODIFIED AGE 15 & UP

MOTORS PERMITTED

BRIGGS & STRATTON

ANIMAL
FLAT HEAD
RAPTOR
WOLRD FORMULA

HONDA

GX200

CLONE

ANY COLOUR

YAMAHA

YF200

MUFFLERS

MANDATORY ABSOLUTELY NO MODIFICATIONS
RLV 4104 OR RLV 4106

TIRES

BURRIS TIRES ONLY NO GROOVED TIRES WILL BE PERMITTED, COMPOUND IS OPEN

WEIGHT

400 LBS

Sportsman and Senior Class

1: Engine (stock to eye) Maximum 6.5 motor, Honda or clone, maximum bore 2.718" Maximum stroke 2.133" (NO 3" bore and stroked motors) 5.0hp Briggs flat head are allowed.

NO Briggs Animal motors

2: Carbs (stock to eye) All carbs must be attached with no aftermarket spacers and no epoxy or sealer on exterior.

NO Adjustable Jets!!

3: Floor mounted fuel tank is mandatory (Stock tank must be removed). Pulsed type fuel pump allowed. Top plate safety shield mandatory.

4: Metal Chain guard on clutch mandatory, and plastic guard over chain to rear bumper is highly recommended.

5: Only flat head is allowed to run alcohol with the full word alcohol on side panel next to engine. Honda and clones must run gas.

6: No alterations or lightening of flywheel. Billet flywheel or Honda aluminum flywheels only..

Safety Equipment:

1: DOT Approved Full Faced Helmet

2: Gloves, Neck Brace and fire resistant or leather jackets mandatory.

3: Normally aspirated engines only. Superchargers, turbochargers, fuel injection and nitrous oxide not allowed.

4: Full Bodies mandatory

5: Rear bumpers must cover width of rear tires. Rounded end loops are mandatory.

6: White coloured zip tie on plug wire mandatory.

7: Header bracket and muffler is mandatory.

8: Kart numbers must be a minimum of 6" high, both sides of kart and right front.

9: All karts must weigh minimum of 375 pounds, kart and driver.

10: Added weight must be painted white with car # clearly marked and properly secured and cleared by tech inspectors.

11: Header pipe and muffler must be completely wrapped with header wrap.

12: Karts with electric starts are recommended to use 3/4" head nut and pace cart will carry starter.

13: No extended bumpers outside of body front or sides. Fiberglass rub rails on side panels are acceptable.

14: Slicks only. No treaded tires.

15: Wolf plates are mandatory